Embedded Systems Programming - PA8001

http://bit.ly/15mmqf7 Lecture 3


Mohammad Mousavi m.r.mousavi@hh.se




Center for Research on Embedded Systems School of Information Science, Computer and Electrical Engineering

A simple embedded system


Follow an object using sonar echoes. Control parameters sent over wireless. The servo controls wheels.



The view from the processor



The program



Our order of business: Concurrency matters!

Even with a single processor, and more so in current parallel architectures.

If time allows... How to implement threads.

```
int sonar_read(){
    while(SONAR_STATUS & READY == 0);
    return SONAR_DATA;
}
```

```
Functions creating an illusion to the rest of the program!
```

```
void radio_read(struct Packet *pkt
while(RADIO_STATUS & READY == 0)
pkt->v1 = RADIO_DATA1;
...
pkt->vn = RADIO_DATAn;
```

```
int sonar_read(){
    while(SONAR_STATUS & READY == 0);
    return SONAR_DATA;
}
```

```
Functions creating an illusion to the rest of the program!
```

```
void radio_read(struct Packet *pkt){
  while(RADIO_STATUS & READY == 0);
  pkt->v1 = RADIO_DATA1;
   ...
  pkt->vn = RADIO_DATAn;
}
```

```
int sonar_read(){
   while(SONAR_STATUS & READY == 0);
   return SONAR_DATA;
}
```

Functions creating an illusion to the rest of the program!

```
void radio_read(struct Packet *pkt){
  while(RADIO_STATUS & READY == 0);
  pkt->v1 = RADIO_DATA1;
  ...
  pkt->vn = RADIO_DATAn;
}
```

```
int sonar_read(){
   while(SONAR_STATUS & READY == 0);
   return SONAR_DATA;
}
```

```
Functions creating an illusion to the rest of the program!
```

```
void radio_read(struct Packet *pkt){
  while(RADIO_STATUS & READY == 0);
  pkt->v1 = RADIO_DATA1;
  ...
  pkt->vn = RADIO_DATAn;
}
```

The program: output

```
void servo_write(int sig){
   SERVO_DATA = sig;
}
```

The program: algorithms

Contro

```
void control(int dist, int *sig, struct Params *p);
```

Calculates the servo signal.

Decode

```
void decode(struct Packet *pkt, struct Params *p)
```

Decodes a packet and calculates new control parameters

The program: algorithms

Control

```
void control(int dist, int *sig, struct Params *p);
```

Calculates the servo signal.

Decode

```
void decode(struct Packet *pkt, struct Params *p)
```

Decodes a packet and calculates new control parameters

The program: algorithms

Control

```
void control(int dist, int *sig, struct Params *p);
```

Calculates the servo signal.

Decode

```
void decode(struct Packet *pkt, struct Params *p)
```

Decodes a packet and calculates new control parameters

The program: a first attempt


```
main(){
   struct Params params;
   struct Packet packet;
   int dist, signal;
   while(1){
      dist = sonar_read();
     control(dist, &signal, &params);
     servo_write(signal);
      radio_read(&packet);
     decode(&packet,&params);
```






Problem: Unknown and unrelated frequencies of events

Ignoring the other event while busy waiting



Problem: Unknown and unrelated frequencies of events

Ignoring the other event while busy waiting



Problem: Unknown and unrelated frequencies of events

Ignoring the other event while busy waiting!

RAM and files vs. external input

- ▶ Data is already in place (...radio packets are not!)
- Even if there might be reasons for waiting, sensors may provide no (useful) content!
- ► They *produce* data only because they are asked to (...remote transmitters act autonomously!)

RAM and files vs. external input

- ▶ Data is already in place (...radio packets are not!)
- Even if there might be reasons for waiting, sensors may provide no (useful) content!
- ► They *produce* data only because they are asked to (...remote transmitters act autonomously!)

RAM and files vs. external input

- ▶ Data is already in place (...radio packets are not!)
- Even if there might be reasons for waiting, sensors may provide no (useful) content!
- ► They *produce* data only because they are asked to (...remote transmitters act autonomously!)

RAM and files vs. external input

- ▶ Data is already in place (...radio packets are not!)
- Even if there might be reasons for waiting, sensors may provide no (useful) content!
- ► They *produce* data only because they are asked to (...remote transmitters act autonomously!)

RAM and files vs. external input

- ► Data is already in place (... radio packets are not!)
- Even if there might be reasons for waiting, sensors may provide no (useful) content!
- ► They *produce* data only because they are asked to (...remote transmitters act autonomously!)

The program: a second attempt

```
while(1){
 if (SONAR_STATUS & READY) {
   dist = SONAR_DATA;
   control(dist,&signal,&params);
   servo_write(signal);
 if(RADIO_STATUS & READY){
   packet->v1 = RADIO_DATA1;
     . . . ;
   packet->vn = RADIO_DATAn;
   decode(&packet,&params);
```

Destroy the functions for reading and have *only* one busy waiting loop!

Breaking modularity:

- Checking both events in one big busy-waiting loop
- Complicating the simple read operations

100% CPU usage, no matter how frequent input data arrives.

Breaking modularity:

- Checking both events in one big busy-waiting loop
- Complicating the simple read operations

100% CPU usage, no matter how frequent input data arrives.

Breaking modularity:

- ► Checking both events in one big busy-waiting loop
- Complicating the simple read operations

100% CPU usage, no matter how frequent input data arrives.

Breaking modularity:

- ► Checking both events in one big busy-waiting loop
- Complicating the simple read operations


100% CPU usage, no matter how frequent input data arrives.

The program: a third attempt

The cyclic executive

```
while(1){
 sleep_until_next_timer_interrupt();
 if(SONAR_STATUS & READY){
    dist = SONAR_DATA;
    control(dist,&signal,&params);
    servo_write(signal);
 if(RADIO_STATUS & READY){
    packet->v1 = RADIO_DATA1;
     . . . ;
    packet->vn = RADIO_DATAn;
    decode(&packet,&params);
```

Compromise: power consumption vs. response time



Issue: different duration (processing time) of tasks

Concurrent execution

- ► Hitherto: a solution for different frequencies (and the waiting time)
- ► Challenge: concurrent execution

Possible solution
Seizing control and allowing for other tasks to take over
interleaving task fragments

Concurrent execution

- ► Hitherto: a solution for different frequencies (and the waiting time)
- ► Challenge: concurrent execution

Possible solution
Seizing control and allowing for other tasks to take over:
interleaving task fragments

Concurrent execution

- ► Hitherto: a solution for different frequencies (and the waiting time)
- ► Challenge: concurrent execution

Possible solution Seizing control and allowing for other tasks to take over: interleaving task fragments

```
void decode(struct Packet *pkt, struct Params p){
   phase1(pkt,p);
   try_sonar_task();
   phase2(pkt,p);
   try_sonar_task();
   phase3(pkt,p);
}
```

```
void try_sonar_task() {
  if(SONAR_STATUS & READY) {
    dist = SONAR_DATA;
    control(dist,&signal,&params);
    servo_write(signal);
  }
```

Again, breaking modularity in an ad-hoc way. How many phases of decode are sufficient?

```
void decode(struct Packet *pkt, struct Params p){
   phase1(pkt,p);
   try_sonar_task();
   phase2(pkt,p);
   try_sonar_task();
   phase3(pkt,p);
}
```

```
void try_sonar_task() {
  if(SONAR_STATUS & READY) {
    dist = SONAR_DATA;
    control(dist,&signal,&params);
    servo_write(signal);
  }
```

Again, breaking modularity in an ad-hoc way. How many phases of decode are sufficient?

```
void decode(struct Packet *pkt, struct Params p){
     phase1(pkt,p);
     try_sonar_task();
     phase2(pkt,p);
     try_sonar_task();
     phase3(pkt,p);
void try_sonar_task(){
  if(SONAR_STATUS & READY){
   dist = SONAR_DATA;
   control(dist,&signal,&params);
   servo_write(signal);
```

```
void decode(struct Packet *pkt, struct Params p){
     phase1(pkt,p);
     try_sonar_task();
     phase2(pkt,p);
     try_sonar_task();
     phase3(pkt,p);
void try_sonar_task(){
  if(SONAR_STATUS & READY){
                                        Again, breaking
   dist = SONAR_DATA;
                                        modularity in an ad-hoc
   control(dist,&signal,&params);
                                        way. How many phases
   servo_write(signal);
                                        of decode are sufficient?
```

```
More fine breaking up might be needed ...

void phase2(struct Packet *pkt, struct Params *p){
    while(expr){
        try_sonar_task();
        phase21(pkt,p);
    }
}
```

Interleaving by hand

More fine breaking up might be needed ...

```
void phase2(struct Packet *pkt, struct Params *p){
   int i = 0;
   while(expr){
      if(i%800==0)try_sonar_task();
      i++;
      phase21(pkt,p);
   }
}
```

Unstructured and ad-hoc; any better alternative?

Interleaving by hand

More fine breaking up might be needed ...

```
void phase2(struct Packet *pkt, struct Params *p){
   int i = 0;
   while(expr){
      if(i%800==0)try_sonar_task();
      i++;
      phase21(pkt,p);
   }
}
```

Unstructured and ad-hoc; any better alternative?

In lab 1 you will program 3 functions

- Writing prime numbers on the LCD
- ► Moving a symbol (autonomously) around the LCD
- ▶ Moving a symbol in the LCD using the joystick

In lab 1 you will program 3 functions

- Writing prime numbers on the LCD
- Moving a symbol (autonomously) around the LCD
- Moving a symbol in the LCD using the joystick

In lab 1 you will program 3 functions

- Writing prime numbers on the LCD
- Moving a symbol (autonomously) around the LCD
- Moving a symbol in the LCD using the joystick

In lab 1 you will program 3 functions

- Writing prime numbers on the LCD
- Moving a symbol (autonomously) around the LCD
- Moving a symbol in the LCD using the joystick

In lab 1 you will program 3 functions

- Writing prime numbers on the LCD
- Moving a symbol (autonomously) around the LCD
- Moving a symbol in the LCD using the joystick

There are 2 tasks, driven by independent input sources.

Handle sonar echoes running the control algorithm and updating the servo.

Handle radio packets by running the decoder

There are 2 tasks, driven by independent input sources.

Handle sonar echoes running the control algorithm and updating the servo.

Handle radio packets by running the decoder

There are 2 tasks, driven by independent input sources.

Handle sonar echoes running the control algorithm and updating the servo.


Handle radio packets by running the decoder.

There are 2 tasks, driven by independent input sources.

Handle sonar echoes running the control algorithm and updating the servo.

Handle radio packets by running the decoder.

Two CPUs



Radio input port

Two CPU's program

struct Params params;

We need some way of making one program of this! We will deal with it next lecture!

Concurrent Programming

Concurrent programming is the name given to programming notation and techniques for expressing potential parallelism and solving the resulting synchronization and communication problems.

A system supporting seemingly concurrent execution is called multi-threaded.

A thread is a unique execution of a sequence of machine instructions, that can be interleaved with other threads executing on the same machine.

Concurrent Programming

Concurrent programming is the name given to programming notation and techniques for expressing potential parallelism and solving the resulting synchronization and communication problems.

A system supporting seemingly concurrent execution is called multi-threaded.

A thread is a unique execution of a sequence of machine instructions, that can be interleaved with other threads executing on the same machine.

Concurrent Programming

Concurrent programming is the name given to programming notation and techniques for expressing potential parallelism and solving the resulting synchronization and communication problems.

A system supporting seemingly concurrent execution is called multi-threaded.

A thread is a unique execution of a sequence of machine instructions, that can be interleaved with other threads executing on the same machine.

A programming language?

As in Java or Ada. Programs are well organized and are independent of the OS.

Libs and OS?

Like C with POSIX threads? Good for multilanguage composition given that OS standards are followed.

This course - first part

A programming language?

As in Java or Ada. Programs are well organized and are independent of the OS.

Libs and OS?

Like C with POSIX threads? Good for multilanguage composition

This course - first part

A programming language?

As in Java or Ada. Programs are well organized and are independent of the OS.

Libs and OS?

Like C with POSIX threads? Good for multilanguage composition given that OS standards are followed.

This course - first part

A programming language?

As in Java or Ada. Programs are well organized and are independent of the OS.

Libs and OS?

Like C with POSIX threads? Good for multilanguage composition given that OS standards are followed.

This course - first part

Our first multithreaded program

```
struct Params params;
```

```
void controller_main(){
  int dist, signal;
                               void decoder_main(){
  while(1){
                                  struct Packet packet;
    dist = sonar_read();
                                  while(1){
    control(dist,
                                      radio_read(&packet);
           &signal,
                                      decode(&packet,&params);
           &params);
    servo_write(signal);
                   main(){
                     spawn(decoder_main);
                    controller_main();
```

The critical section problem

What will happen if the params struct is read (by the controller) at the same time it is written (by the decoder)?

I.e., what if the scheduler happens to insert some decoder instructions while some, but not all, of the controller's reads have been done?

This problem is central to concurrent programming where there is any ammount of sharing!

The critical section problem

What will happen if the params struct is read (by the controller) at the same time it is written (by the decoder)?

I.e., what if the scheduler happens to insert some decoder instructions while some, but not all, of the controller's reads have been done?

This problem is central to concurrent programming where there is any ammount of sharing!

The critical section problem

What will happen if the params struct is read (by the controller) at the same time it is written (by the decoder)?

I.e., what if the scheduler happens to insert some decoder instructions while some, but not all, of the controller's reads have been done?

This problem is central to concurrent programming where there is any ammount of sharing!

Car dealer

Puts up price tag

Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealer
Displays used car

Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealerDisplays used car
Puts up price tag

Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealerDisplays used car
Puts up price tag

Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealerDisplays used car
Puts up price tag

Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealerDisplays used car
Puts up price tag

Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealerDisplays used car
Puts up price tag

Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealer

Displays used car Puts up price tag Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealer

Displays used car Puts up price tag Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Car dealer Displays used car Puts up price tag	Car buyer
Displays luxury car	Becomes interested, sells her old
Updates price tag	Gets angry!

Car dealer

Displays used car Puts up price tag

Displays luxury car Updates price tag

Car buyer

Chooses to keep her old car All good!

Car dealer
Displays used car
Puts up price tag

Car buyer

Displays luxury car Updates price tag

> Chooses to keep her old car All good!

Car dealerDisplays used car
Puts up price tag

Car buyer

Displays luxury car Updates price tag

Chooses to keep her old car All good!

Car dealerDisplays used car
Puts up price tag

Car buyer

Displays luxury car

Chooses to keep her old car All good!

Car dealer

Displays used car Puts up price tag Car buyer

Displays luxury car Updates price tag

> Chooses to keep her old car All good!

Car dealer

Displays used car Puts up price tag Car buyer

Displays luxury car Updates price tag

Chooses to keep her old car All good!

Car dealer

Displays used car Puts up price tag Car buyer

Displays luxury car Updates price tag

Chooses to keep her old car All good!

Imagine uppdating the same bank account from two places at approximately the same time (e.g. your employer deposits your salary at more or less the same time as you are making a small deposit).

```
int account = 0;
account = account + 500; account = account + 10000;
```

When this is compiled there might be several instructions for each update!

Imagine uppdating the same bank account from two places at approximately the same time (e.g. your employer deposits your salary at more or less the same time as you are making a small deposit).

```
int account = 0;
account = account + 500; account = account + 10000;
```

When this is compiled there might be several instructions for each update!

load account,r1
add 500,r1
store r1, account

load account, r2
add 10000, r2
store r2, account

Final balance is 10500

load account,r1
add 500,r1
store r1, account

Final balance is 10500

load account, r2
add 10000, r2
store r2, account

load account, r1

add 500,r1

store r1, account

Final balance is 500

load account, r2 add 10000, r2

store r2, account

Testing and setting

int shopper;

if(shopper == NONE)
shopper = HUSBAND

if(shopper==NONE)
 shopper = WIFE

Possible interleaving

if(shopper == NONE)

if(shopper==NONE)

shopper = HUSBAND

shopper = WIFE

Testing and setting

int shopper;

if(shopper == NONE)
shopper = HUSBAND

if(shopper==NONE)
 shopper = WIFE

Possible interleaving

if(shopper == NONE)

if(shopper==NONE)

shopper = HUSBAND

shopper = WIFE

Our embedded system

Exchanging parameters

```
struct Params p;
while(1){
                        while(1){
                          local_minD = p.minDistance;
 p.minDistance = e1;
                          local_maxS = p.maxSpeed;
 p.maxSpeed = e2;
                                local_maxS = 150
```

Our embedded system

Exchanging parameters

```
struct Params p;
while(1){
                          while(1){
                            local_minD = p.minDistance;
  p.minDistance = e1;
                            local_maxS = p.maxSpeed;
  p.maxSpeed = e2;
Possible interleaving
p.minDistance = 1;
p.maxSpeed = 1;
                                   local minD = 1:
p.minDistance = 200;
p.maxSpeed = 150;
```

The classical solution

Apply an access protocol to the critical sections that ensures mutual exclusion

Require that all parties follow the protocol

Access protocols are realized by means of a shared datastructure known as amutex or a lock.

The classical solution

Apply an access protocol to the critical sections that ensures mutual exclusion

Require that all parties follow the protocol

Access protocols are realized by means of a shared datastructure known as amutex or a lock.

The classical solution

Apply an access protocol to the critical sections that ensures mutual exclusion


Require that all parties follow the protocol

Access protocols are realized by means of a shared datastructure known as amutex or a lock.

Mutual exclusion

Exchanging parameters

Classic Example



Classic Example

Bonus Question

Explain briefly the dining philosophers protocol and two issues regarding the protocol. Propose changes in the protocol to fix these issues.

Deadline

Send your answers before 13:30 today (September 9) to my email.