#### Embedded Systems Programming - PA8001 http://bit.ly/15mmqf7 Lecture 3


Mohammad Mousavi m.r.mousavi@hh.se




Center for Research on Embedded Systems School of Information Science, Computer and Electrical Engineering

### A simple embedded system


Follow an object using sonar echoes. Control parameters sent over wireless. The servo controls wheels.



## The view from the processor



# The program



Our order of business: Concurrency matters!

Even with a single processor, and more so in current parallel architectures.

If time allows... How to implement threads. The program: busy waiting input

```
int sonar_read(){
    while(SONAR_STATUS & READY == 0);
    return SONAR_DATA;
}
```

Functions creating an illusion to the rest of the program!

void radio\_read(struct Packet \*pkt){
 while(RADIO\_STATUS & READY == 0);
 pkt->v1 = RADIO\_DATA1;
 ...
 pkt->vn = RADIO\_DATAn;
}

Assuming that status is automatically reset when data is read.

### The program: output

```
void servo_write(int sig){
   SERVO_DATA = sig;
}
```

The program: algorithms

#### Control

void control(int dist, int \*sig, struct Params \*p);

Calculates the servo signal.

Decode

void decode(struct Packet \*pkt, struct Params \*p)


Decodes a packet and calculates new control parameters

## The program: a first attempt

```
main(){
   struct Params params;
   struct Packet packet;
   int dist, signal;
   while(1){
     dist = sonar_read();
     control(dist, &signal, &params);
     servo_write(signal);
      radio_read(&packet);
     decode(&packet,&params);
   }
```

}

## Problems?



Problem: Unknown and unrelated frequencies of events

Ignoring the other event while busy waiting!

# The problem explained

RAM and files vs. external input

- ► Data is already in place (... radio packets are not!)
- Even if there might be reasons for waiting, sensors may provide no (useful) content!
- They produce data only because they are asked to (... remote transmitters act autonomously!)

Memory-mapped I/O may give the wrong *illusion*!

### The program: a second attempt

```
while(1){
 if (SONAR_STATUS & READY) {
   dist = SONAR_DATA;
   control(dist,&signal,&params);
   servo_write(signal);
 if(RADIO_STATUS & READY){
   packet->v1 = RADIO_DATA1;
     . . . ;
   packet->vn = RADIO_DATAn;
   decode(&packet,&params);
```

Destroy the functions for reading and have *only one* busy waiting loop!

# Centralized busy waiting

Breaking modularity:

- Checking both events in one big busy-waiting loop
- Complicating the simple read operations

100% CPU usage, no matter how frequent input data arrives.

Try to make the main loop run less often!


The program: a third attempt

The cyclic executive

```
while(1){
 sleep_until_next_timer_interrupt();
 if(SONAR_STATUS & READY){
    dist = SONAR_DATA;
    control(dist,&signal,&params);
    servo_write(signal);
 if(RADIO_STATUS & READY){
    packet->v1 = RADIO_DATA1;
     . . . ;
    packet->vn = RADIO_DATAn;
    decode(&packet,&params);
```

Compromise: power consumption vs. response time

# Problems?



Issue: different duration (processing time) of tasks

### Concurrent execution

- Hitherto: a solution for different frequencies (and the waiting time)
- Challenge: concurrent execution

#### Possible solution

Seizing control and allowing for other tasks to take over: interleaving task fragments

# Interleaving by hand

```
void decode(struct Packet *pkt, struct Params p){
   phase1(pkt,p);
   try_sonar_task();
   phase2(pkt,p);
   try_sonar_task();
   phase3(pkt,p);
}
```

```
void try_sonar_task(){
  if(SONAR_STATUS & READY){
    dist = SONAR_DATA;
    control(dist,&signal,&params);
    servo_write(signal);
  }
}
```

Again, breaking modularity in an ad-hoc way. How many phases of decode are sufficient? More fine breaking up might be needed ....

```
void phase2(struct Packet *pkt, struct Params *p){
   while(expr){
      try_sonar_task();
      phase21(pkt,p);
   }
}
```

## Interleaving by hand

More fine breaking up might be needed ....

```
void phase2(struct Packet *pkt, struct Params *p){
    int i = 0;
    while(expr){
        if(i%800==0)try_sonar_task();
        i++;
        phase21(pkt,p);
    }
}
```

Unstructured and ad-hoc; any better alternative?

In lab 1 you will program 3 functions

- Writing prime numbers on the LCD
- Moving a symbol (autonomously) around the LCD
- Moving a symbol in the LCD using the joystick

Finally: running these tasks concurrently (to experience the difficulties)


There are 2 tasks, driven by independent input sources.

Handle sonar echoes running the control algorithm and updating the servo.

Handle radio packets by running the decoder.

Had we had access to 2 CPUs we could place one task in each. We can imagine some construct that allows us to express this in our program.

# Two CPUs



Radio input port

# Two CPU's program

struct Params params;

```
void controller main(){
  int dist, signal;
                                void decoder_main(){
  while(1){
                                   struct Packet packet;
                                   while(1){
    dist = sonar_read();
    control(dist,
                                      radio_read(&packet);
           &signal,
                                      decode(&packet,&params);
           &params);
                                   }
    servo_write(signal);
                                }
  }
3
```

We need some way of making one program of this! We will deal with it next lecture!

Concurrent programming is the name given to programming notation and techniques for expressing potential parallelism and solving the resulting synchronization and communication problems.

A system supporting seemingly concurrent execution is called multi-threaded.

A thread is a unique execution of a sequence of machine instructions, that can be interleaved with other threads executing on the same machine.

# Where should threads belong?

#### A programming language?

As in Java or Ada. Programs are well organized and are independent of the OS.

#### Libs and OS?

Like C with POSIX threads? Good for multilanguage composition given that OS standards are followed.

#### This course - first part

For pedagogical purposes we choose to work with C and a small kernel.

# Our first multithreaded program

struct Params params;

```
void controller_main(){
  int dist, signal;
                                void decoder_main(){
  while(1){
                                   struct Packet packet;
    dist = sonar_read();
                                   while(1){
    control(dist,
                                      radio_read(&packet);
           &signal,
                                      decode(&packet,&params);
           &params);
                                   }
    servo_write(signal);
                                7
 }
}
                   main(){
                     spawn(decoder_main);
                     controller_main();
                    }
```

What will happen if the params struct is read (by the controller) at the same time it is written (by the decoder)?

I.e., what if the scheduler happens to insert some decoder instructions while some, but not all, of the controller's reads have been done?

This problem is central to concurrent programming where there is any ammount of sharing!

Critical sections in real life

**Car dealer** Displays used car Puts up price tag Car buyer

Displays luxury car

Updates price tag

Becomes interested, sells her old car

Gets angry!

Critical sections in real life

**Car dealer** Displays used car Puts up price tag Car buyer

Displays luxury car Updates price tag

> Chooses to keep her old car All good!

Imagine uppdating the same bank account from two places at approximately the same time (e.g. your employer deposits your salary at more or less the same time as you are making a small deposit).

int account = 0; account = account + 500; account = account + 10000;

When this is compiled there might be several instructions for each update!

load account,r1
add 500,r1
store r1, account

load account, r2
add 10000, r2
store r2, account

Final balance is 10500

load account, r2
add 10000, r2
store r2, account

load account,r1
add 500,r1
store r1, account

Final balance is 10500

load account,r1

add 500,r1

store r1, account

Final balance is 500

load account, r2 add 10000, r2

store r2, account

Testing and setting

int shopper;

if(shopper == NONE)
shopper = HUSBAND

if(shopper==NONE) shopper = WIFE

Possible interleaving

if(shopper == NONE)

if(shopper==NONE)

shopper = HUSBAND

shopper = WIFE

```
Our embedded system
Exchanging parameters
```

```
struct Params p;
while(1){ while(1){
   ... local_minD = p.minDistance;
   p.minDistance = e1; local_maxS = p.maxSpeed;
   p.maxSpeed = e2; ...
}
```

Possible interleaving

```
p.minDistance = 1;
p.maxSpeed = 1;
```

local\_minD = 1;

p.minDistance = 200; p.maxSpeed = 150;

 $local_maxS = 150$ 

#### The classical solution

Apply an access protocol to the critical sections that ensures mutual exclusion

Require that all parties follow the protocol


Access protocols are realized by means of a shared datastructure known as amutex or a lock.

# Mutual exclusion

#### Exchanging parameters

```
struct Params p;
              mutex m;
while(1){
                           while(1){
                              lock (&m)
  . . .
  lock (&m);
                              local_minD = p.minDistance;
  p.minDistance = e1;
                              local_maxS = p.maxSpeed;
                              unlock (&m)
  p.maxSpeed = e2;
  unlock (&m);
                              . . .
                           }
}
```

# Classic Example



# Classic Example

#### Bonus Question

Explain briefly the dining philosophers protocol and two issues regarding the protocol. Propose changes in the protocol to fix these issues.

#### Deadline

Send your answers before 13:30 today (September 9) to my email.